



Warning: Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

PRODUCT INFORMATION

Product Name: Raspberry Lemonade 100 mg THC Rosin Jelly

Batch: MVRRL010626

Manufacture Date: 01/06/2026

Manufacturer: Mellow Vibes/Life Changers Investments LLC- 0000156ESTDP70697204

Distributor: Mellow Vibes/Life Changers Investments LLC- 0000156ESTDP70697204

Product created with Ice Water Wash and Heat Press

ROSIN SOURCE MATERIAL

License Name: Mellow Vibes/Life Changers Investments LLC- 0000156ESTDP70697204

Batch: FGR12222025

Harvest Date: 06/03/2024

Manufacture Date: 12/22/2025

INGREDIENTS

Beet Sugar, Invert Syrup (Beet sugar, Citric Acid), Water, Pectin, Fruit Puree, Shortening Flakes (Hydrogenated Palm Kernel Oil, Soy Lecithin), Cannabis Rosin, Natural Flavoring, Citric Acid, and Tartaric Acid.



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025

Certificate: 19556



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

FP Hybrid Food Grade Live Rosin

Batch #: FGR12222025

Strain: Hybrid Blend

Parent Batch #:

Production Method: Pressing

Harvest Date: 06/03/2024

Received: 12/23/2025

Sample ID: 2512SMAZ2269.6958

Amount Received: 9.1 g

Sample Type: Live Rosin

Sample Collected: 12/23/2025 09:54:00

Manufacture Date: 12/22/2025

Published: 12/31/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Pass

Residual Solvents
Pass

81.4586%
Total THC

Pesticides, Fungicides,
and Growth Regulators
Pass

Mycotoxins
Pass

Heavy Metals
Pass

0.1367%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Not Tested

Moisture Analysis (Q3)
Not Tested

Water Activity (Q3)
Not Tested

0.3929%
CBN

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested

Additional Microbial
Contaminants (Q3)
Not Tested


2.0994%
CBG

89.8695%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19556

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/23/2025
SOP: 418.AZ
Batch Number: 4823
Test ID: 107309

Sample Analysis

Date: 12/29/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	0.6293	6.2930	
CBD	0.3140	0.9530	1	0.1367	1.3670	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	2.0994	20.9940	
CBGA	0.3140	0.9530	1	2.4902	24.9020	
CBN	0.3140	0.9530	1	0.3929	3.9290	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	66.6162	666.1620	
THCA	0.3140	0.9530	1	16.9241	169.2410	
THCV	0.3140	0.9530	1	0.5807	5.8070	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	81.4586	814.5860	
Total CBD	0.1367	1.3670	
Total Cannabinoids	89.8695	898.6950	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19556

Microbial Analysis

Pass

Sample Prep

Batch Date: 12/29/2025
SOP: 412.AZ
Batch Number: 4829
Test ID: 107316

Sample Analysis

Date: 12/30/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 12/29/2025
SOP: 406.AZ
Batch Number: 4828
Test ID: 107318

Sample Analysis

Date: 12/30/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 12/29/2025
SOP: 406.AZ
Batch Number: 4828
Test ID: 107320

Sample Analysis

Date: 12/30/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19556

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 12/23/2025
SOP: 405.AZ
Batch Number: 4820
Test ID: 107310

Sample Analysis

Date: 12/24/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.053 g


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	<LOQ		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19556

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 12/30/2025
SOP: 428.AZ
Batch Number: 4835
Test ID: 107311

Sample Analysis

Date: 12/30/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.224 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.179	10	0.4	ND	
Cadmium	0.054	0.179	10	0.4	ND	
Lead	0.054	0.447	10	1	ND	
Mercury	0.054	0.089	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 12/23/2025
SOP: 432.AZ
Batch Number: 4826
Test ID: 107313

Sample Analysis

Date: 12/31/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.530 g
Volume: 12.5 mL


Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.77	9.43	1	20	ND	R1
Aflatoxin B1	3.77	9.43	1		ND	
Aflatoxin B2	3.77	9.43	1		ND	R1
Aflatoxin G1	3.77	9.43	1		ND	I1
Aflatoxin G2	3.77	4.72	1		ND	I1, R1
Ochratoxin A	9.43	9.43	1	20	ND	I1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19556

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 12/23/2025
SOP: 432.AZ
Batch Number: 4826
Test ID: 107312

Sample Analysis

Date: 12/31/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.530 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.078 / 0.236	1	0.5	ND	R1	Hexythiazox	0.158 / 0.472	1	1	ND	R1
Acephate	0.063 / 0.189	1	0.4	ND	R1	Imazalil	0.031 / 0.094	1	0.2	ND	
Acetamiprid	0.031 / 0.094	1	0.2	ND	R1	Imidacloprid	0.063 / 0.189	1	0.4	ND	R1
Aldicarb	0.063 / 0.189	1	0.4	ND	R1	Kresoxim-methyl	0.063 / 0.189	1	0.4	ND	
Azoxystrobin	0.031 / 0.094	1	0.2	ND		Malathion	0.031 / 0.094	1	0.2	ND	R1
Bifenazate	0.031 / 0.094	1	0.2	ND	R1	Metaxyl	0.031 / 0.094	1	0.2	ND	R1
Bifenthrin	0.031 / 0.094	1	0.2	ND		Methiocarb	0.031 / 0.094	1	0.2	ND	
Boscalid	0.063 / 0.189	1	0.4	ND		Methomyl	0.063 / 0.189	1	0.4	ND	
Carbaryl	0.031 / 0.094	1	0.2	ND	R1	Myclobutanil	0.031 / 0.094	1	0.2	ND	R1
Carbofuran	0.031 / 0.094	1	0.2	ND	R1	Naled	0.078 / 0.236	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.094	1	0.2	ND		Oxamyl	0.158 / 0.472	1	1	ND	
Chlorfenapyr	0.158 / 0.472	1	1	ND		Paclobutrazol	0.063 / 0.189	1	0.4	ND	
Chlorpyrifos	0.031 / 0.094	1	0.2	ND		Permethrins	0.031 / 0.094	1	0.2	ND	
Clofentezine	0.031 / 0.094	1	0.2	ND		Phosmet	0.031 / 0.094	1	0.2	ND	
Cyfluthrin	0.158 / 0.472	1	1	ND		Piperonyl Butoxide	0.314 / 0.943	1	2	ND	
Cypermethrin	0.158 / 0.472	1	1	ND		Prallethrin	0.031 / 0.094	1	0.2	ND	
Daminozide	0.158 / 0.472	1	1	ND		Propiconazole	0.063 / 0.189	1	0.4	ND	
Diazinon	0.031 / 0.094	1	0.2	ND		Propoxur	0.031 / 0.094	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.132 / 0.395	1	1	ND	
Dimethoate	0.031 / 0.094	1	0.2	ND	R1	Pyridaben	0.031 / 0.094	1	0.2	ND	
Ethoprophos	0.031 / 0.094	1	0.2	ND	R1	Spinosad	0.031 / 0.094	1	0.2	ND	
Etofenprox	0.063 / 0.189	1	0.4	ND	R1	Spiromesifen	0.031 / 0.094	1	0.2	ND	R1
Etoxazole	0.031 / 0.094	1	0.2	ND		Spirotetramat	0.031 / 0.094	1	0.2	ND	
Fenoxycarb	0.031 / 0.094	1	0.2	ND		Spiroxamine	0.063 / 0.189	1	0.4	ND	
Fenpyroximate	0.063 / 0.189	1	0.4	ND		Tebuconazole	0.063 / 0.189	1	0.4	ND	
Fipronil	0.063 / 0.189	1	0.4	ND	I1, R1	Thiacloprid	0.031 / 0.094	1	0.2	ND	R1
Flonicamid	0.158 / 0.472	1	1	ND	R1	Thiamethoxam	0.031 / 0.094	1	0.2	ND	R1
Fludioxonil	0.063 / 0.189	1	0.4	ND	R1	Trifloxystrobin	0.031 / 0.094	1	0.2	ND	R1

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19556

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:


Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2512SMAZ2269.6958
Batch #: FGR12222025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19556

Notes: Harvest Dates:

01/17/2024

03/06/2024

06/03/2024




Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2601SMAZ0042.0135
Batch #: MVRRL010626



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20132

Raspberry Lemonade 100mg THC Rosin Jelly

Batch #: MVRRL010626

Strain: Rosin

Parent Batch #: FGR12222025

Production Method: Ice/Water

Harvest Date: 06/03/2024

Received: 01/08/2026

Sample ID: 2601SMAZ0042.0135

Amount Received: 62.2 g

Sample Type: Soft Chew

Sample Collected: 01/08/2026 12:35:00

Manufacture Date: 01/06/2026

Published: 01/13/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Not Tested

Pesticides, Fungicides,
and Growth Regulators

Not Tested

Mycotoxins

Not Tested

Heavy Metals

Not Tested

10.1374 mg/serving
101.3736 mg/container
Total THC

0.0261 mg/serving
0.2612 mg/container
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

0.0510 mg/serving
0.5100 mg/container
CBN

0.2811 mg/serving
2.8114 mg/container
CBG


11.1724 mg/serving
111.7236 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2601SMAZ0042.0135
Batch #: MVRRL010626



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20132

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/07/2026
SOP: 418.AZ
Batch Number: 4910
Test ID: 109947

Sample Analysis

Date: 01/09/2026
SOP: 417.AZ - HPLC
Sample Weight: 1.090 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0030	0.0090	1	0.0059	0.0590	0.0734	0.7340	M1
CBD	0.0030	0.0090	1	0.0021	0.0210	0.0261	0.2612	M1
CBDA	0.0030	0.0090	1	ND	ND	ND	ND	M1
CBDV	0.0030	0.0090	1	ND	ND	ND	ND	M1
CBG	0.0030	0.0090	1	0.0226	0.2260	0.2811	2.8114	M1
CBGA	0.0030	0.0090	1	0.0242	0.2420	0.3010	3.0105	M1
CBN	0.0030	0.0090	1	0.0041	0.0410	0.0510	0.5100	M1
d8-THC	0.0030	0.0090	1	ND	ND	ND	ND	M1
d9-THC	0.0030	0.0090	1	0.6853	6.8530	8.5251	85.2513	M1
THCA	0.0030	0.0090	1	0.1478	1.4780	1.8386	18.3863	M1
THCV	0.0030	0.0090	1	0.0062	0.0620	0.0771	0.7713	M1


Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.8149	8.1490	10.1374	101.3736	
Total CBD	0.0021	0.0210	0.0261	0.2612	
Total Cannabinoids	0.8981	8.9810	11.1724	111.7236	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 1.244 g; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2601SMAZ0042.0135
Batch #: MVRRL010626



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20132

Microbial Analysis

Pass

Sample Prep

Batch Date: 01/12/2026
SOP: 412.AZ
Batch Number: 4936
Test ID: 109957

Sample Analysis

Date: 01/13/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.080 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/12/2026
SOP: 406.AZ
Batch Number: 4935
Test ID: 109962

Sample Analysis

Date: 01/13/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	


Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2601SMAZ0042.0135
Batch #: MVRRL010626



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20132

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:


Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MV AZ, LLC
1225 W. Deer Valley Road
Phoenix
AZ
85027
License #: 0000156ESTDP70697204
Sample ID: 2601SMAZ0042.0135
Batch #: MVRRL010626



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20132

Notes:




Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Click below to link to Distribution Chain

https://mellowvibes-my.sharepoint.com/:w:/p/jacquiep/EWYfPa_B5h9Eh3mRpLnvt8lBfiatcmGRdAahZnZcxnWl1Q?e=ObOHYa